



Automotive Aftermarket Division

3M™ 38070 Perfect-it III Cleaner Clay

1) Part Numbers

38070 (200 gr. block, 6 blocks per carton)

2) Description and end uses

3M 38070 Cleaner Clay is a block of mild abrasive putty designed to remove contaminants such as fallout from overhead electric rail wires, industrial fallout and paint overspray from exterior automotive paint, glass and metal surfaces. The product is easy to use by hand and will not scratch paint.

Features	Advantages	Benefits
Mild abrasive clay bar	Non-scratching, easily and quickly removes overspray, industrial fall out, tar and road grime.	Saves compounding time

3) Physical Properties

Malleable putty bar	No odour
Calcium Carbonate	50 – 55 %
1-Butene Polymer	35 – 40%
Pigments	5 – 10%

4) Directions for Use

1. Wash and rinse vehicle thoroughly
2. Check surface for contaminants – a rough or gritty feel
3. Remove the wrapping from the block if unused
4. Knead the block so it becomes flatter and more flexible and sits in the hand easily
5. Work the contaminated area with 3M Cleaner Clay using light pressure and soapy water as a lubricant. Repeat as necessary.
6. Rinse and dry surface
7. Polish if needed with 3M Perfect it III High Gloss Polish Part No 09736



Technical Data Sheet

Effective: 04/05/2017

Supersedes: 15/06/2006

8. To reduce scratching kneed and fold in used clay periodically during use.
9. Store in container- storing together with some clean soapy water helps maintain flexibility while not being used.
10. Dispose of bar when contamination becomes excessive.

5) Storage

No particular shelf life or storage issues.

Store in container between uses to avoid contamination.

Storing together with some clean soapy water helps maintain flexibility while not being used.

6) Safety

Eye contact: Avoid contact with eyes. In case of contact with eyes rinse immediately with plenty of water and seek medical advice

Skin contact: Avoid contact with skin. After contact with skin wash immediately with plenty of soap and water

Ingestion: If swallowed do not induce vomiting. Seek medical advice immediately and show the container or label

3M 38070 Perfect-it III Cleaner Clay is designed FOR PROFESSIONAL INDUSTRIAL USE ONLY.

7) Disclaimer

All statements, technical information and recommendations are based on tests we believe to be reliable but the accuracy or completeness thereof is not guaranteed. Please ensure before using our product that it is suitable for your intended use. All questions of reliability relating to this product are governed by the Terms of Sale subject, where applicable, to the prevailing law.



Technical Data Sheet

Effective: 04/05/2017

Supersedes: 15/06/2006

For Additional Health and Safety Information

Denmark

3M a/s
Automotive Aftermarket
Hannemanns Allé 53
2300 København S
Tel: 43 48 01 00
3mkundeservicedk@mmm.com
www.3MAuto.dk

Norway

3M Norge AS
Automotive Aftermarket
Kanalveien 2
2004 Lillestrøm
Telefon: 06384
www.3m.no/auto
kundeservice@mmm.com

Finland

Suomen 3M Oy
Automotive Aftermarket
Keilaranta 6
02150 Espoo
Tel: 09 5252 1
tilaukset@mmm.com
www.3M.fi/autotuotteet

Sweden

3M Svenska AB
Automotive Aftermarket
Bileftermarknad
19189 Sollentuna
Tel. 08-922100
kundservice@mmm.com
3M.se/bileftermarknad