



Document Library
TS Data Sheet 09018; 09019

Rev:1

Status: Active

Effective: 07/28/2000

3M™ Marine Metal Restorer and Polish



3M Part No.(s)	3M Part Descriptor(s)
09018	3 oz. tube
09019	18 oz. tub

Description

Designed to restore and polish stainless steel, brass, bronze, copper, chrome, aluminum, and other marine metals by removing surface rust, oxidation, corrosion and tarnish. Restores luster.

Features

- Aggressive formulation
- Concentrated formulation
- Restores original luster
- Polishes

Typical Physical Properties

Color	Pink
Consistency	Paste
Odor	Mild Ammonia

Performance Properties

Application Information

Directions for Use

Surface Preparation:

Clean surface with 3M™ Marine Multi-Purpose Boat Soap (light duty), other remaining contaminants can be removed with 3M™ General Purpose Adhesive Cleaner, P. N. 08984.

When using solvents, use in a well ventilated area. Extinguish all sources of ignition in the work area and observe proper precautionary measures for handling such materials. Refer to product label and MSDS for further precautions.

Local and Federal air quality regulations may regulate or prohibit the use of surface preparation and cleanup materials based on VOC content .

Consult your Local and Federal air quality regulation.

Selection:

For stainless steel, brass, bronze, copper, chrome, and other marine metals, 3M™ Marine Metal Restorer and Polish is recommended for removing surface rust, stains, oxidation, corrosion and tarnish. 3M™ Marine Metal Restorer and Polish has a light abrasive action that will restore the original luster of the metal. High gloss will be returned to parts with original high polished surfaces. Test for suitability on brushed and matted surfaces.

Not recommended for painted, anodized or clear coatings which may have been applied to the metal. Will not remove severe pitting of metal.

Application:

Hand Application:

1. 3M™ Perfect-It™ Wax and Glaze Wipes or Scotch-Brite™ High Performance Cloths are recommended for application.
2. Apply material to small area using a soft, clean cloth.
3. Rub **aggressively** using short strokes.
4. Keep turning the cloth as more material is applied.
5. Buff to a high luster using a clean, soft cloth.
Do not allow to haze.

Cleanup:

3M™ Perfect-It™ Wax and Glaze Wipes or Scotch-Brite™ High Performance Cloths are recommended to remove residue from surface.

Applications

Cleaning and polishing of:

- Deck hardware
- Cleats
- Thru hulls
- Stantions
- Rails
- Ladders

Storage and Handling

Recommended Storage Temperature Range : 60F to 80F

Expected Shelf Life at Recommended Storage Temperature : 36 Months

Precautionary Information

Refer to Product Label and Material Safety Data Sheet for Health and Safety Information before using this product

Country

This document is public. It may be distributed.

Important Notice to Purchaser

Technical Data: All physical properties, statements and recommendations are either based on tests we believe to be reliable or our experience, but they are not guaranteed. 3M recommends each user determine the suitability of the products for the intended use.

* If 'Directions for Use' reference P.N.'s 08984, 08986, or 08987, please read. Federal and local air quality regulations may regulate or prohibit the use of surface preparation and cleanup solvents based on VOC content. Consult your local and Federal air quality regulations for information. When using solvents, use in a well ventilated area. Extinguish all sources of ignition in the work area and observe precautionary measures for handling these materials. Refer to product label and MSDS for P.N. 8984, 8986, or 8987 for detailed precautionary information.

Warranty and Limited Remedy: 3M warrants this product will be free from defects in materials and manufacture. **3M MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE** . If the product is proved to be defective your exclusive remedy and 3M's and seller's sole obligation will be, at 3M's option, to replace the product or refund the purchase price.

Limitation of Liability: 3M and seller will not be liable for any loss or damage arising from this product, whether direct, indirect, special, incidental or consequential, regardless of the legal theory asserted, including warranty, contract, negligence or strict liability.

For Additional Health and Safety Information

3M Marine
3M Center, Building 223-6S-06
Saint Paul, MN 55144-1000
1-877-366-2746 (1-877-3M MARINE)