



Scotch blue™

Masking Solutions

The best products are even better when you have the best tools. The ScotchBlue™ Masking Tape Applicator makes large projects more manageable and gives you a consistent, quality application every time. ScotchBlue™ Tape + Plastic Dispenser helps provide the ultimate protection against drips and splatters. The best paint jobs start with Scotch® Masking Tape.



**ScotchBlue™
Tape + Plastic
Dispenser**



**ScotchBlue™
Masking Tape
Applicator**



**PRE-TAPE
MASKING FILM**

**FOR SMOOTH OR LIGHTLY
TEXTURED SURFACES**

APPLICATOR

**FOR SMOOTH OR LIGHTLY
TEXTURED SURFACES**

**EASY & FASTER PREP ON
WALLS, TRIM, BASEBOARDS, TILE
AND GLASS**

**EASY & FASTER PREP ON
WINDOWS, SKIRTING BOARDS
AND DOOR FRAME**

21-DAY
CLEAN REMOVAL

MEDIUM
ADHESION

14-DAY
CLEAN REMOVAL

MEDIUM
ADHESION

ScotchBlue™ Masking Tape and plastic combined in one product

Easy to apply and readjust

**Static cling helps plastic stay
in place**

Plastic unfolds to 0.6m to 2.7m width and 17 to 27m long

For faster & easier preparation with precision*

Rolls smoothly and applies flush along skirting boards and casing

Proprietary rollers designed to ride along curves/contours of molding

Built-in metal blade provides a straight, precise cut

Includes starter roll of 18meters ScotchBlue™ Multi-surface premium masking tape

Refills easily with 36mm Scotch™ masking tape

Works left to right or right to left

Includes starter roll of ScotchBlue™

Multi-surface 2090

*Vs applying 3M masking tape by hand





CAUTIONS Use only...
To avoid overexposure, open...
or use other means to ensure...
ing application and drying...
watering, headaches, or dizziness...
or wear respiratory protection...
do not leave the area. Avoid...
Keep container...
for constant...

Tips for perfect paint prep.

PREPARATION

Clean the surface you're going to tape using a damp rag. Allow the surface to dry completely.

APPLICATION


Tape all the surfaces you want to keep paint-free: baseboards, windows, tiles and other areas.



Tear off about 2 to 3 feet of tape at a time, laying each new piece of tape over the end of the previous piece.



Press down as you go, using your fingers to lay tape into surface depressions.




Secure tape by pressing the edge down with a putty knife or 5-in-1 tool. For textured surfaces, seal the edge of the tape with the existing base paint color of the wall.

REMOVAL

For best results, remove as soon as you've applied the last coat of paint, or after the paint is dry to the touch.



Remove tape slowly, pulling it back on itself at a 45° angle from the original line of tape.



If the adhesive sticks to the surface, try pulling at a 90° angle.



If the tape pulls paint up with it, try lightly scoring the edge of the tape with a razor blade before continuing to remove tape.